

Eaton DU2005-0000

Catalog Number: DU2005-0000

Eaton DU Duplex Low Pressure Filter, DU2005.25VG.10.E.P.-.FS.C.P.-.-, 25 VG, Glass fiber fleece (VG), Nitrile, 464 psi (32 Bar), Non-bypass



General specifications

Product Name	Catalog Number
Eaton DU Duplex Low Pressure Filter	DU2005-0000
Model Code	Product Length/Depth
DU2005.25VG.10.E.P.-.FS.C.P.-.-	790.1 mm
Product Height	Product Width
796.02 mm	289.01 mm
Product Weight	Compliances
341.96 kg	PED 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. ATEX Directive 2014/34/EU AD 2000

Product specifications

Connection type

5" SAE/ANSI flange

Filter type

Duplex filter

Material

EN-GJS-400-18-LT

Application

For continuous operation. Mount in suction, pressure or return lines

Specification

Standard

Code stamp

None

Filter fineness

25 VG

Filter media type

Glass fiber fleece (VG)

Fluid group (DGRL 2014/68/EU)

2

Indicator type

None

Sealing material

Nitrile

Element collapse rating

145 psi (10 Bar)

Operating temperature - max

100 °C

Operating temperature - min

-10 °C

Valve configuration options

Non-bypass

Operating pressure - max

464 psi (32 Bar)

Resources

Brochures

[Refrigeration overview US](#)

[Hydraulic and Lubrication Oil Filters US](#)

Technical data sheets

[DU 1050-2050 US](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)